

Taps



EVA COPPER



EVA



VELOX




SCOTT



SPEEDY




CODICE	DESCRIZIONE
RUBINETTI PRE-MIX CON COMPENSATORE	
1805ABSEVAX.000	RUB. ABS EVA S/MAN C/COMP
1805ABSEVAM.003	RUB.ABS EVA S/MAN C/COMP.RAMATO
1805BEVSP12.001	RUB.BEV.SPEEDY FLUSSO VEL.1/2 CMB
1805BEVSP58.000	RUB.BEV.SPEEDY FLUSSO VEL.5/8
1805BEVSP58.001	RUB.BEV.SPEEDY FLUSSO VEL.5/8 CMB
1805LAVEOTC.000	RUB. X LAVELLO CROMATO 1/2
1805PRES DIN.000	RUBINETTO PRESA DIRETTA NERO
1805RUBJG38.000	RUB.JOHN GUEST INNESTI RAP.3/8
1805RUBSCSM.002	RUB. SCOT CR. S/MAN C/COMP
1805VEL12CC.000	RUB. VELOX 1/2 ACC. S/MAN C/COMP ACC.L30
1805VEL12CC.001	RUB. VELOX 1/2 ACC.DO S/MAN C/COMP L30
1805VELOXCC.000	RUB. VELOX 5/8 ACC. S/MAN C/COM L30
1805VELOXCC.001	RUB.VELOX 5/8 AC.DO.S/MAN C/COM L30
1805VELOXCC.002	RUB.VELOX 5/8 AC.S/MAN C/COM PESCE
RUBINETTI PRE-MIX SENZA COMPENSATORE	
1807CRYST38.000	RUBINETTO S/COMP.3/8 PLASTICA
1807H2O2603.000	BEVERINO H2O 3V MANUALE 2603



NUM.	PART NO.	DESCRIPTION
1	1820CCLPIST.000	Stainless steel piston
2	1820CCLPOGU.000	Piston gasket
3	0406RUBLEVA.000	Spring
4	1820VSFVPMO.000	Piston screw
5	1820VSFLMTR.001	Handle lever
6	0440VSFLEVM.000	Adapter
7	0406VITEPRE.000	Spring
8	0454VSFLEVM.000	O-Ring
9	0434VSFGLTR.002	Chrome nut
10	0412VSFSMTR.002	Fixing ring wiht chrome finish
11	1425VSFCOBU.00	Stainless steel compensator
12	1820VSFECTR.002	Adjustment pin
13	04542056LEV.000	(2) O-Ring
14	0434VSFGCTR.002	Adjustment pin
15	08150330ACC.00	Grub screw M 3x3
16	04541062000.000	O-Ring 0200
17	1820VSFLUTR.002	Lever with chrome finish
18	0434VSFGRTR.002	Ring with chrome finish
19	0870MANORES.001	Ergonomic handle with black finish
20	1820VSFVITR.002	Front screw for compensator
21	0440VSFLAPE.000	Piston gasket
22	1817VSFCCTR.002	Flux tap chromed body
23	182003358AC.000	Nickel plated shank 5/8" x 33 mm
24	04542081LEV.000	O-Ring
25	0410FLUXBEC.000	Stainless steel nozzle with black finish



CODICE	DESCRIZIONE
RUBINETTI PRE-MIX CON COMPENSATORE	
1805FLUX316.000	Flux Acc. 316 L C/Manopola nera
1805FLUX316.001	Flux Acc. 316 L C/Manopola Cromata
1805FLUXCCC.500	RUB.FLUX C/COMP.CROMATO L=50
1805FLUXMEC.002	Flux Cr+Manop.Erg.Cromata
1805FLUXMEN.001	Flux Do+Manop.Erg.Nera
1805FLUXMEN.002	Flux Cr+Manop.Erg. Nera
1805FLUXMEN.502	Flux Cr+Manop.Erg.Nera L=50MM
1805FLUXNMA.000	Flux Acc. 316 L S/Manopola
1805FLUXNOM.002	Flux Cr S/Manopola
CANNOTTI PER RUBINETTO	
18203312ACC.000	CANNOTTO L=33 1/2 X RUB.FLUX E QUIX ACCIAIO
18203358316.000	CANNOTTO L=33 5/8 X RUB.FLUX E QUIX ACCIAIO
182003312NI.000	CANNOTTO 1/2 L=33 NICHELATO X FLUX OTT.
182003358AC.000	CANNOTTO 5/8 L=33 RUB.NICHELATO (Flux ottone)
182005058TR.000	CANNOTTO 5/8 L=50 OTT.NICHELATO FLUX OTTONE
KIT GUARNIZIONI PER RUBINETTO	
2613ACCFLUX.000	Kit Access.Rub.Flux
2613GNIQUIX.000	Kit Guarniz.Interne Rub.Quix
CHIAVI PER APERTURA RUBINETTO	



NUM.	PART NO.	DESCRIPTION
1	1817QUICCLU.000	Tap body
2	0454O353912.00	O-Ring 353912 COD4036
3	0454113FUST.000	O-Ring 113 OR3043
4	1820QUILMAS.000	Stainless steel lever
5	1820QUIBSAC.000	Lock lever
6	0434QUI18AC.000	Steel nut: M18
7	1817QUIECAC.000	Steel adjustment pin
8	1425VSFCOBU.000	Steel compensator
9	04541062000.000	Gasket O-ring
10	04542056LEV.000	External O-ring
11	04542081LEV.000	Gasket
12	0876QUIXSMN.000	Fixing ring for handle
13	0870MANORES.001	Ergonomic black handle
14	0434VSFGRTR.002	Chrome ring
15	0434QUIECTR.002	Chrome nut: M16
16	0870QUIXCOM.000	Black plastic lever for compensator
17	0454OR0120X.000	O-Ring M 1.5mm - NBR70
18	18203358316.000	ST. Steel Shank 5/8". Length 33mm
19	0422ABS2085.000	Fixing ring for handle
20	0410BEC316L.000	Stainless steel nozzle
21	0454516SPSL.000	(2) O-Ring 5/16" super seal kit
22	04880312CBA.000	Steel screw M3x12

2613GNIQUIX.000



0450QUIXGHI.000



18205058ACC.000



1805QUIXMEN.V02



CODICE		DESCRIZIONE
RUBINETTI PRE-MIX CON COMPENSATORE		
1805QUIXMEC.500		Quix Acc.+Manop.Erg.Crom. L=50
1805QUIXMEN.000		Quix Acc.+Manop.Erg.Nera
1805QUIXMEN.500		Quix Acc.+Manop.Erg.Nera L=50
1805QUIXMEN.V02		Quix AL c/comp. MEN vers. 2.0
CHIAVI PER APERTURA RUBINETTO		
0450QUIXGHI.000		CHIAVE CHIUSURA GHIERA SUP.QUIX

Handles



087010ROVER.000



087015ANTIC.000



087011NOCEX.001



087011NOCEX.002



087015MO-



0870MANO-



0870MANO-
RES.002



0870MEAB-
SRS.000



0870MEABSTR.002



087017438PL.000

MANOPOLE PER RUBINETTO	
CODICE	DESCRIZIONE
087010ROVER.000	MANOPOLA SOLO LEGNO CM.10 ROVERE
087011NOCEC.002	MANOP.LEGNO CM.11 NOCE CHIARO CR.
087011NOCEX.001	MANOPOLA LEGNO CM.11 NOCE DORATA
087011NOCEX.002	MANOPOLA LEGNO CM.11 NOCE CROMATA
087015ANTIC.000	MANOPOLA LEGNO CM.15 ANTICATO
087015MOGAN.000	MANOPOLA°SOLO LEGNO CM.15 MOGA
087017438PL.000	MANOPOLA PLASTICA NERA 3/8 Altezza 174mm
0870MANORES.001	MANOPOLA ERGONOMICA PLASTICA NERA
0870MANORES.002	MANOPOLA ERGONOMICA PLASTICA VERDE
0870MEABSRS.000	MANOPOLA ERGONOM.ABS ROSSA
0870MEABSTR.002	MANOPOLA ERGONOM.ABS CROMATA
0870QUIXCOM.000	MANOPOLA QUIX COMPENS.PLAST.NERA

PLUG AND PLAY LED ILLUMINATED MEDALLIONS WITH FISH-EYE LENSES 3D EFFECT (diameter 60, 80 or 120 mm)



MED_LUM

Single chrome or gold-plated
led illuminated ABS medallion
Diameter 80 mm

MED_LUM

Double chrome or gold-plated
led illuminated ABS medallion
Diameter 80 mm



MED_LUM

Triple chrome or gold-plated led illuminated ABS medallion
Diameter 80 mm



FISH_EYE
Fish Eye Lens
(customizable with logos)
Box with 20 pieces.
Diameter: 60 or 80 mm



0850ZAMCOTR.002
Conical support in
chromed Zamak for lit
medallion



0850ZAMCOTR.001
Conical support in gold
plated Zamak for lit
medallion

MED_LUM 10036 120 mm ABS medallion
with chrome finish

MED_LUM 10037 120 mm ABS medallion
with gold finish

MED_LUM 10038 120 mm ABS Plug & Play
medallion with chrome finish

MED_LUM 10039 120 mm ABS Plug & Play
medallion with gold finish

Medallions

	PART NO.	DESCRIPTION
1	0820TM812PL.000	Transparent Plexiglass "L" medallion. Height 120 mm. Diameter for the adhesive logo: 80 mm
2	0820TM812TR.001	ABS "L" medallion with gold finish. Height 120 mm. Diameter for the adhesive logo: 80 mm
3	0820TM812TR.002	ABS "L" medallion with chrome finish. Height 120 mm. Diameter for the adhesive logo: 80 mm
4	0820TORUABS.002	ABS reinforced round medallion with chrome finish for tap
5	0820TR813PL.000	Transparent plexiglass medallion for tap. Height 135 mm. Diameter for adhesive logo: 80 mm
6	0820TR813TR.001	ABS medallion with gold finish for tap. Height 135 mm. Diameter for adhesive logo: 80 mm
7	0820TR813TR.002	ABS medallion with chrome finish for tap. Height 135 mm. Diameter for adhesive logo: 80 mm
8	0820TR818PL.000	Transparent plexiglass medallion for tap. Height 180 mm. Diameter for adhesive logo: 80 mm
9	0820TR818TR.001	ABS medallion with gold finish for tap. Height 180 mm. Diameter for adhesive logo: 80 mm
10	0820TR818TR.002	ABS medallion with chrome finish for tap. Height 180 mm. Diameter for adhesive logo: 80 mm
11	2620TONDCOL.001	Round medallion in gold plated brass for ceramic tower. Diameter for adhesive logo: 80 mm
12	2620TONDCOL.002	Round medallion in chrome plated brass for ceramic tower. Diameter for adhesive logo: 80 mm
13	2620TONDDOP.001	Double medallion in gold plated brass for ceramic tower. Diameter for adhesive logo: 80 mm
14	2620TONDDOP.002	Double medallion in chrome plated brass for ceramic tower. Diameter for adhesive logo: 80 mm
15	2620TONDPAN.001	Round medallion in gold plated brass for Panther tower. Diameter for adhesive logo: 80 mm
16	2620TONDPAN.002	Round medallion in chrome plated brass for Panther tower. Diameter for adhesive logo: 80 mm
17	2620TONDRVS.001	Round medallion in gold plated brass for dispensing tap. Diameter for adhesive logo: 80 mm
18	2620TONDRVS.002	Round medallion in chrome plated brass for dispensing tap. Diameter for adhesive logo: 80 mm
19	2620TONDTRI.001	Triple medallion in gold plated brass with medallion holder. Diameter for adhesive logo: 80 mm
20	2620TONDTRI.002	Triple medallion in chrome plated brass with medallion holder. Diameter for adhesive logo: 80 mm
21	0335BIP1811.000	White flat plaque in PVC. Diameter 81 mm
22	0335TMTERBI.000	White round thermoformed. Diameter 80 mm
	0336TPITRSP.000	Transparent flat plaque. Diameter 81 mm

Medallions



1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16




17



18



19



20



21



22

Drip tray bases

NUM.	ARTICOLO	DESCRIZIONE
1	28106050ACR.000	Base 60 x 50 acciaio con rinfrescabicchieri
2	28108050ACR.000	Base 80 x 50 acciaio con rinfrescabicchieri
3	28101050ACR.000	Base 100 x 50 acciaio con rinfrescabicchieri
4	28101250AC.000	Base 120 x 50 acciaio con rinfrescabicchieri
5	BASE_60x40	Base 60 x 40 acciaio (disponibile con e senza rinfrescabicchieri)
6	BASE_60X40	Base 60 x 40 dorata (disponibile con e senza rinfrescabicchieri)
7	BASE_40x40	Base 40 x 40 acciaio (disponibile con e senza rinfrescabicchieri)
8	BASE_40X40	Base 40 x 40 dorata (disponibile con e senza rinfrescabicchieri)
9	BASE_40x25	Base 40x25 in acciaio (disponibile con e senza rinfrescabicchieri)
10	BASE_40x25	Base 40x25 dorata (disponibile con e senza rinfrescabicchieri)
11	28154022RSA.000	Raccogligocce acciaio con rinfrescabicchieri 40 x 22 cm.
12	28166022RSA.000	Raccogligocce acciaio con rinfrescabicchieri a incasso 60 x 22 cm.
13	28154022RSX.000	Raccogligocce acciaio/ottone con rinfrescabicchieri 40 x 22 cm.
14	28156022RSA.000	Raccogligocce acciaio con rinfrescabicchieri 60 x 22 cm.
15	28168022RSA.000	Raccogligocce acciaio con rinfrescabicchieri a incasso 80 x 22 cm.
16	281742150NA.000	Raccogligocce acciaio con incavo Ø150 mm. 40 x 22 cm.
17	281742150RX.000	Raccogligocce acciaio/ottone con incavo Ø150mm con rinfr. 40 x 22 cm.
18	28156022RNX.000	Raccogligocce acciaio/ottone con rinfrescabicchieri 60 x 22 cm.
19	281755210NA.000	Raccogligocce acciaio con incavo Ø 210 mm. 50 x 25 cm.
20	281755210NX.000	Raccogligocce acciaio/ottone con incavo Ø 210 mm. 50 x 25 cm.
21	281755250NA.000	Raccogligocce acciaio con incavo Ø 250mm. 50 x 25 cm.
22	281755250NX.000	Raccogligocce acciaio/ottone con incavo Ø250mm. 50 x 25 cm.
23	281742150NX.000	Raccogligocce acciaio/ottone con incavo Ø150mm. 40 x 22 cm.
24	28156022NNA.000	Raccogligocce acciaio 60 x 22 cm.
25	28154022NNA.000	Raccogligocce acciaio 40 x 22 cm.
26	28156022NNX.000	Raccogligocce acciaio/ottone 60 x 22 cm.
27	28155025NNA.000	Raccogligocce acciaio 50 x 25 cm.
28	28154022NNX.000	Raccogligocce acciaio/ottone 40 x 22 cm.
29	28151522NNA.000	Raccogligocce acciaio 15 x 22 cm.
30	28151522NNX.000	Raccogligocce acciaio/ottone 15 x 22 cm.
31	2825RINFSCA.000	Rinfrescabicchieri per raccog. c/scarico
32	0464CARSCAR.000	Raccordo carico + scarico H2O
33	2825RINFRAC.000	Rinfrescabicchieri in metallo completo
34	2825RINFRFK.000	Rinfrescabicchieri per basi 60-80-100-120x50cm

Drip tray bases

1 to 4



Base in stainless steel
with glass rinser

5 to 8



Base in stainless steel
with / without glass rinser

9 and 10



Base in stainless steel

11 to 18



Drip tray in stainless steel
with glass rinser

19 to 26



Drip tray in stainless steel
without glass rinser

27 and 28



Recessed Drip tray
in stainless steel
with glass rinser

29 to 32



Drip tray with cut out.
With or without glass rinser

34



0464CARSCAR.000
Drain kit for drip trays
with glass rinser including
nut 1/2", straight drain
tubing diameter 7 mm.,
elbow drain tubing
diameter 11 mm, PVC
gasket

35




2825RINFSCA.000
Glass rinser for drip
tray with drain

36



2825RINFRFK.000
Glass rinser for bases
60-80-100-120x50cm


Clamp




1



2



3



4



5



6



7 - 8



9 - 10

NUM	PART NO.	DESCRIPTION
1	28051010RCB.001	Aluminium clamp with flat base in black ABS for 1" fixing bolt + drip tray 15x15 cm. Suitable for 1-way Lucky, Sexy Shield, Flute and Panther towers
2	280513595TR.001	"Uk style" clamp, tray to be chosen among 3 versions
	28052518RCV.003	Clamp for ceramic towers Ø 180/160 mm. Drip tray available dimensions: 40x22-50x25-60x22 cm
	CLAMP 6703	Aluminium clamp with base in chrome ABS for 1" fixing bolt + drip tray 15 x 15 cm Suitable for 1-way Lucky, Sexy Shield, Flute and Panther towers
	CLAMP 6844	Aluminium clamp with flat base in black ABS for 1" fixing bolt + drip tray 27 X 13 cm Suitable for 2-way Lucky, Sexy Shield, Flute and Panther towers
	CLAMP 6388	Aluminium clamp with base in chrome. 1" fixing bolt. Drip tray 27X13 Suitable for 2 ways tower: Lucky, Shield, Flute
	CLAMP 7064	Aluminium clamp with flat base in black ABS for 1" 1/2 fixing bolt + drip tray 27 X 13 cm Suitable for 3-way Lucky and Shield towers and 3/4-way Sexy and Maxipanther tower
	CLAMP 7065	Aluminium clamp with flat base in chrome ABS for 1" 1/2 fixing bolt + drip tray 27 X 13 cm. Suitable for 3-way Lucky,Shield tower and for 3/4-way Sexy tower.
3	28052518RCV.001	Clamp for ceramic towers Ø 180/160 mm. Drip tray available dimensions: 40x22-50x25-60x22 cm
4	280525503CO.001	Clamp for resin towers STB h300. Drip tray available dimensions: 40x22-50x25-60x22cm
5	2805TAPBRIV.001	Tap bracket 1 way complete with drip tray 15x15 cm
	2805TAPBRIV.002	Tap bracket 1 way with drip tray 15x22 cm
	CONF.5746	Clamp 156x55 mm fro Drip tray 15x22 cm
	28151522NNA.000	Steel drip tray 15 x 22 cm.
6	280513595TR.001	"Uk style" clamp, tray to be chosen among 3 versions.
7	0335RCOB141.000	Flat base colour black hole 1"
8	0335RCOB144.000	Flat base colour black hole 1" 1/2

Stainless Steel Couplers



"S" type coupler in st. steel
with 5/8" - 5/8" Shank
5235BIS5858.DSR
without connections
5235BIS5858.DSI
with 7 mm nipple, nut and seal
5235BIS5858.DJG
with 3/8" quick fitting



"G" type coupler in st. steel
with 5/8" - 5/8" Shank
5235TRG5858.DSR
without connections
5235TRG5858.DSI
with 7mm nipple, nut and seal
5235TRG5858.DJG
with 3/8" quick fitting



Key Kegcoupler in st. steel
with 5/8" - 5/8" Shank
5235KEYKEGX.DSR
without connections
5235KEYKEGX.DSI
with 7mm nipple, nut and seal
5235KEYKEGX.DJG
with 3/8" quick fitting



"A" type coupler in st. steel
with 5/8" - 5/8" Shank
5235PIA5858.DSR
without connections
5235PIA5858.DSI
with 7mm nipple, nut and seal
5235PIA3838.DJG
with 3/8" quick fitting



"M" type coupler in st. steel
with 5/8" - 5/8" Shank
5235MIM5858.DSR
without connections
5235MIM5858.DSI
with 7mm nipple, nut and seal
5235MIM3838.DJG
with 3/8" quick fitting



"U" type coupler in st. steel
with 5/8" - 5/8" Shank
5235UEC5858.DSR
without connections
5235UEC5858.DSI
with 7mm nipple, nut and seal
5235UEC3838.DJG
with 3/8" quick fitting



"D" type coupler in st. steel
with 5/8" - 5/8" Shank
5235SVD5858.DSR
without connections
5235SVD5858.DSI
with 7mm nipple, nut and seal
5235SVD5858.DJG
with 3/8" quick fitting

Spears and cleaning adaptors



5210BICCH30.000



5210MISTA30.000



5210PIROT30.000




5210PITRI30.000



0442DSILVBS.000




0442DSILVTG.000




0442DSILVMM.000



0442DSILVPA.000



0442DSILVKK.000



ASTE DI PESCAGGIO

CODICE	DESCRIZIONE
5210201205D.000	ASTA PESCAGGIO 201-205 D
5210BICCH30.000	ASTA PESCAGGIO T.BICCHIERE LT.30
5210MISTA30.000	ASTA DI PESCAGGIO T.MISTA LT.30
5210PIROT30.000	ASTA PESCAGGIO T.PIANA ROT.LT.30
5210PITRI30.000	ASTA PESCAGGIO T.TRIANGOLARE LT.30
5210RSUW214.000	ASTA PESCAGGIO U - ATTACCO GUINNESS

INNESTI DI LAVAGGIO

CODICE	DESCRIZIONE
0442DSILVBS.0CR	INNESTO MURO DSI LAV. BICCH. (S)
0442DSILVKK.000	INNESTO MURO DSI LAV. FUSTO KEY KEG
0442DSILVKK.0CR	INNESTO MURO DSI LAV. FUSTO KEY KEG
0442DSILVMM.0CR	INNESTO MURO DSI LAV. MISTA (M)
0442DSILVPA.000	INNESTO MURO DSI LAV. PIANA (A)
0442DSILVPA.0CR	INNESTO MURO DSI LAV. PIANA (A)
0442DSILVTG.000	INNESTO MURO DSI LAV. TRIANG. (G)
0442DSILVTG.0CR	INNESTO MURO DSI LAV. TRIANG. (G)
0442MMGU38J.000	INNESTO MURO M.M.GUINNES 2U2-003
0442MMLAVBI.000	INNESTO A MURO M.M. LAV.BICCHIERE
0442MMLAVGU.000	INNESTO A MURO M.M.LAV.GUINNES
0442MMLAVMI.000	INNESTO A MURO M.M. LAV. MISTA




NUM	SET DI LAVAGGIO	
1	5225912MNJO.000	Fusto lavaggio Lt. 9 in acciaio inox + 2 valvole Jolly + 1 attacco birra o vino
2	5225922MNJO.000	Fusto lavaggio Lt. 9 in acciaio inox con 2 valvole Jolly + 2 attacco birra o vino
3	5225932MNJO.000	Fusto lavaggio Lt. 9 in acciaio inox con 2 valvole Jolly + 3 attacco birra o vino
4	8520SPUBONU.000	Lavabicchieri Spullboy New
5	48455030SACC.000	Vasca acciaio inox 50x30 cm per Spulboy
6	2840SPULSES.000	Spazzola superiore semitrasparente R60115 Spulboy
7	2840SPULCEN.000	Spazzola centrale R60126 Spulboy
8	2840SPULSTR.000	Spazzola strip R60104 Spulboy
9	2840TRIPLAV.000	Spazzola tripla lavabo 3 x 18 cm
10	28458050AC1.000	Lavello inox 80x50 2 vasche
11	1805LAVEOTC.000	Rubinetto per lavello cromato 1/2"
12	8510VINSE10.000	Detersivo Vin Service fustino Lt.10
13	8510VINSE25.000	Detersivo Vin Service 25 Kg
14	8510BICHL10.000	Detersivo bicchieri Lt. 1
15	8510BUSMONO.000	Detersivo bustina monodose
16	0442MUROCOC.000	Innesto a muro lavaggio Coca-Cola
17	0442MUROBIB.000	Innesto a muro lavaggio Jolly
	0442MMLAVBI.000	Innesto a muro per lavaggio testa bicchiere
	0442MMLAVTR.000	Innesto a muro per lavaggio testa triangolare
	0442MMLAVPI.000	Innesto a muro per lavaggio testa piana
	0442MMLAVGU.000	Innesto a muro per lavaggio testa Guinness
	0442MMLAVMI.000	Innesto a muro per lavaggio testa mista
	0442KEYKEGL.DSI	ADATTATORE LAVAGGIO KEY KEG
	5260GLYC25X.000	Tanica Glicole 25Kg
	5260GLYC05X.000	Tanica Glicole 5Kg
	8520SPULLBO.000	Lavabicchieri Spullboy twin-go

Recirculation pumps




NUM	CODICE	POMPE DI RICIRCOLO
1	3005AGVEN25.000	Motorino agitatore con cuscinetti AP 220 giri - 220V 50 Hz
2	3640225813A.000	Pompa pitone con agitatore 8 mt. 13 lt/min 220V 50 Hz raffreddata ad aria
3	3640251214B.000	Pompa pitone con agitatore 12 mt. 14 lt/min 220V 50 Hz raffreddata ad aria
4	36402251820C.000	Pompa pitone con agitatore 18 mt. 20 lt/min 220V 50 Hz raffreddata ad aria
5	3640225810A.000	Pompa pitone 8/10 220V50HZ Ø37,5 cm. raffreddata ad aria
6	3640225610C.000	Pompa pitone con agitatore 6 mt. 10 lt/min 220V 50 Hz raffreddata ad acqua
	3640250711M.000	Pompa pitone 7/11

Pneumatic pumps



NUM	CODICE	POMPE PNEUMATICHE
1	36202254920000	Pompa pneumatica per vino, bevande, sciroppi
2	36202254925000	Pompa pneumatica birra
3	3620225555000	Pompa pneumatica 5500 vino
4	3610225PRMI.000	Pompa Elettrica con timer premix
		Deviatore automatico
5	0424AUTOELE.000	Per pompa elettrica, 1500 - 031
	0424AUTOMPN.000	Per pompa pneumatica, 1500 - 030
		Ricambi per pompe Shurflo
6	0460141414T.000	Portagomma T1/4" Shurflo
7	0460SHPL907.000	Portagomma in plastica pompa Shurflo 90° Ø7 mm
8	0460SHPLPR8.000	Portagomma in plastica pompa Shurflo Ø8 mm

Thermostats



TERMOSTATI		
1	4610MEC2005.000	Mechanical thermostat 2005 with handle
2	4610MEC5045.000	Mechanical thermostat 5045 with handle
3	4610MEC5130.000	Mechanical thermostat L5130
	1030SOIC208.000	Ice bank probe IC 200 Ø 8mm
4	121525302EF.000	Electronic control unit for carbonation and carbonation pump(black box)
5	1215BGHIC20.000	Electronic control unit for ice bank IC200
6	1215REGOLGH.000	Electronic control unit for ice bank adjustment

Water filters



NUM	PART NO.	DESCRIPTION
1	3205EVERPUR.000	Carbon Filter with pressure reducer and Everpure 4C cartridge
2	3205POLYECR.000	Poly head with pressure reducer and tap + fittings
3	3205SRIDPRE.000	Carbon Filter without reducer with small cartridge
4	3210FILTRGR.000	4C medium replacement filter cartridge
5	3210FILTRPC.000	AC small replacement filter cartridge
6	3210FIPAR10.000	Filter cartridge PROFINE ARGENTO 10600 lt
7	3225PURIFIL.001	Purifil kit for refined water
8	0635UV4W000.000	UV Lamp 4W + Transformer
9	1430MADDA12.000	Maddalena water liter counter 1/2"

Quick fittings

	PART NUMBER	TUBE	TUBE
Straight Fitting 	04423838DRR.000 04421212DRR.000 04423851DRR.000 04421238DRR.000 04421251DRR.000	3/8 1/2 3/8 1/2 1/2	3/8 1/2 5/16 3/8 5/16
Straight fitting with Superseal 	04423851DRB.000 04425151DRB.000	SUPERSEAL 5/16 5/16	3/8 5/16 ^{superseal}
Elbow fitting 	04423838CRR.000 04421212CRR.000 04425151CRR.000 04423851CRR.000 04421238CRR.000 04421251CRR.000	TUBE 3/8 1/2 5/16 3/8 1/2 1/2	3/8 1/2 5/16 5/16 3/8 5/16
Elbow fitting with Superseal 	04423851CRB.000	SUPERSEAL 5/16	3/8
Cylindrical thread with flat edge 	04423858DRD.000 04423812DRD.000 04423812REC.000 04423834DRD.000 04423838DRD.000	TUBE 3/8 3/8 3/8 3/8 3/8	THREAD 5/8 1/2 1/2 cone end 3/4 3/8
Female - end fitting 	Thread American Flare 04425114DRD.000 04421014RDD.000 Thread UNS (Coca Cola) 04423812COC.000	TUBE 5/16 3/8 3/8	THREAD 1/4FFL 1/4FFL 1/2
Elbow fitting with Counterbore 	04423838CRC.000 04425138CRC.000 04421212CRC.000 04425151CRC.000	STEM 3/8 5/16 1/2 5/16	TUBE 3/8 3/8 1/2 5/16

	PART NUMBER	TUBE	TUBE
Reducing fitting 	04425138DRC.000 04423851DRC.000	STEM 3/8 5/16	5/16 3/8
Tee fitting 	04423838TRR.000	TUBE 3/8	TUBE 3/8
Straight end fitting 	Conical thread 04423838DRF.000 04423814DRF.000 NPTF 04423812DRF.000	TUBE 3/8 3/8 3/8	THREAD 3/8 1/4 1/2
Locking clip 	049406PINZA.000 049408PINZA.000 049410PINZA.000 049412PINZA.000	6 mm 8 mm 10 mm 12 mm	
Y fitting 	04423838YRR.000	3/8	
Tube to Hose 	0448R12T12A.000 0448R38T38A.000 0448R38T516.000	STEM 1/2 3/8 3/8	HOSE 1/2 3/8 5/16
U Bend fitting 	04201212180.000 Plastic 180°	TUBE 1/2	TUBE 1/2
Premix bargun thread M7/16 Premix bargun thread M7/16 For tap 	04423814DRM.000 04423814CRB.000 1805RUBJG38.000	3/8 3/8 3/8	1/4 1/4 3/8
Conversion table mm to Inch			
3 mm - 1/8"	7.9 mm - 5/16"	15.9 mm - 5/8"	
4.8 mm - 3/16"	9.5 mm - 3/8"	19.4 mm - 3/4"	
6.4 mm - 1/4"	12.7 mm - 1/2"	25.4 mm - 1"	

Python lines

Insulation



1



2



3



4



5



6



7




8



9



10



11




12



13

NUM.	ARTICOLO	DESCRIZIONE
	20300202PRO.000	PITONE A SECCO 2+2 ARMAFLEX 13
	20300302PRO.000	PITONE°A SECCO 3+2 PROD.
	20300402PRO.000	PITONE°A SECCO 4+2 P.3/8" R.1/
	20300502PRO.000	PITONE°A SECCO 5+2 POST-MIX/PR
	20300602PRO.000	PITONE A SECCO 6+2 PROD. 1/4-3/8
	20300802PRO.000	PITONE°A SECCO 8+2 P.3/8" R.1/
	20300802H2O.000	PITONE A SECCO 8 PROD.+2 H2O+CAVO
	2030102H2OC.000	PITONE A SECCO 10 + 2 + cav. 3/8-1
	2030104H2OC.000	PITONE A SECCO 10+4+CAVO
	20100606GOM.000	TUBO ISOLANTE GOMMA 6X6
	20100806GOM.000	TUBO ISOLANTE GOMMA 8X6
	20201016RIC.000	TUBO ATOS 10X16 ANTIGELO X RIC
	20101810ISO.000	TUBO ISOLANTE 18X10 POLISOLAN
	20102210POL.000	TUBO ISOLANTE 22X10 POLISOLAN
	0145000MT10.000	ROTOLO NASTRO TERMICO MT10-465
	0135NER1925.000	ROTOLO NASTRO ADES.NERO 19MM 25MT
	0135PITONE0.000	ROTOLO NASTRO ADES.PITONE 50mmx25mt

Other dimensions and configurations are available upon request
Available in rolls of 50 mt.



1 to 5



23 to 25



26



27, 28



29

NUM.	ARTICOLO	DESCRIZIONE
		Codulo 90° Lupulus II 6,7x9,5 mm da 3000 mm codulo 5/8
	0460L54830C.000	Codulo 90° Lupulus II 5,4x8 mm da 180 mm codulo 5/8
	0460LUP6795.000	Codulo 90° Lupulus II 5,4x8 mm da 300 mm codulo 5/8
		Codulo 90° Lupulus II 6,7x9,5 mm da 80 mm codulo 5/8
		LUPULUS "" 6,7X9,5 mm 100mt
		POLY SK d 6,7X9,5 mm 100 M ref L04491
		LUPULUS III-P SK d 4,5X8 mm 100M ref L04502
		LUPULUS III-P SK d 5,5X9,5 mm 100M ref L04503
		LUPULUS III-P SK d 4X8 mm 100M ref L04504
		LUPULUS III-P SK d 5X8 mm 100M ref L04505
		LUPULUS III-P SK d 6X9,5 mm 100M ref L04506
		SG EVA SK d 7X12,7 mm 100 m ref L04507
		POLY SK d 9,5X12,7 mm 100 M ref L04510
		FLEXLAYER III SK d 5,5X9,5 mm 100m GREY 2R FORST ref L04512
	TUBO ATOSSICO ANTIGELO	
	20200812RIC.000	TUBO ATOS.8X12 ANTIGELO X RIC
	20200912RIC.000	TUBO ATOS 9X12 ANTIGELO X RIC
	20201014RIC.000	TUBO ATOS.10X14 ANTIGELO X RIC
	20201016RIC.000	TUBO ATOS 10X16 ANTIGELO X RIC
	TUBO ACCIAIO	
	20400805ACC.000	TUBO ACCIAIO-INOX 8x0,5 AISI 304
	204008316AC.000	TUBO ACCIAIO-INOX 8x0,5 AISI 316L
	20401005ACC.000	TUBO ACCIAIO-INOX 10 X 0,5
	TUBO ATOSSICO	

Pre-Mix and Post-Mix Bargun



PISTOLE POST-MIX E PRE-MIX	
CODICE	DESCRIZIONE
	PISTOLA POSTMIX 8 PRODOTTI 4 CARB 2 PIATTI + SODA + H2O
	PISTOLA POSTMIX 10 PRODOTTI 6 CARB 2 PIATTI + SODA + H2O
	PISTOLA POSTMIX 4PIAT.4GAS.1H2
	PISTOLA SELTZ METALLO CR. BEC.ACC.
	PISTOLA PRE-MIX MECC. VINO 5 PR
RACCORDI PER PISTOLA PREMIX (6 pezzi per ogni pistola)	
CODICE	DESCRIZIONE
	RACCORDO 7/16" - 7/16" DELRIN
	NIPLES 7/16" 07 AISI 303
	DADO 7/16" NICHELATO
	INNESTO RAPIDO 3/8" FIL. 1/4" MFL (7/16")
	(6 pezzi per ogni pistola)
	KIT PORTA PISTOLA POST-MIX

Pre-Mix and Post-Mix Bargun



The Schroeder America Bar Gun dispensers Post-mix, Pre-mix and Juice products and comes in both flow control and mechanical versions. Tailor your Bar Gun handle through color, plate configuration.



CREATE YOUR BAR GUN!

- 1 Part number: 1605
- 2 Total number of buttons? Choose from 4 to 14
- 3 How many of these are Carbonated
Non Carbonated
Pre-mix?
- 4 Flow control or Mechanical version?
- 5 Done! Share with us the selected configuration to receive your quotation.

Clamps and connectors



da 1 a 5



6



da 7 a 14



da 15 a 18



19

20



21

NUM	CODICE	FASCETTE
1	0432OR0709A.000	Fascetta inox 7-9 mm. 1 orecchia
2	0432OR1011A.000	Fascetta inox 10-11 mm. 1 orecchia
3	0432OR1213Z.000	Fascetta zincata 12-13 mm. 1 orecchia
	0432OR1213A.000	Fascetta inox 12-13 mm. 1 orecchia
	0432OR1315A.000	Fascetta inox 13 -15 mm. 1 orecchia
4	0432OR9112Z.000	Fascetta zincata 9 - 11 mm. 2 orecchia
	0432AN0870A.000	Fascetta inox antigrinza 8,7 mm.
5	0432AN0810A.000	Fascetta inox antigrinza 8.8 - 10,5 mm.
	0432ANTI109.000	Fascetta inox antigrinza 10,9 mm.
	0432ANT0911.000	Fascetta inox antigrinza 9,6 - 11,3 mm.
	0432AN1013A.000	Fascetta inox antigrinza 10,8 - 13,3 mm.
	0432AN1113A.000	Fascetta inox antigrinza 11,3 - 13,8 mm.
6	0432AN1215A.000	Fascetta inox antigrinza 12,8 - 15,3 mm.
	0432AN1417A.000	Fascetta inox antigrinza 14,5 - 17 mm.
7	0432VIT0510.000	Fascetta a vite 5-10 mm.
	0432VIT0714.000	Fascetta a vite 7-14 mm.
	0432VIT1012.000	Fascetta a vite 10/12 mm- Ø12 mm.
	0432VIT1017.000	Fascetta a vite 10-17 mm.
8	0464GIUNTUB.000	Raccordo giunzione curvo tubo inox - tubo inox
9	1030CORTA41.000	Sonda corta per carbonatore
10	1030LUNGA42.000	Sonda lunga per carbonatore
11	044218JOLLG.000	Innesto Jolly gas lt.18
12	044218JOLL.000	Innesto Jolly prodotto lt.18
13	0442COCAGAS.000	Innesto Coca Cola gas
14	0442COCAPRO.000	Innesto Coca Cola prodotto
	0464716716P.000	Raccordo 7/16" - 7/16" Derlin
15	0464716716A.000	Raccordo 7/16" - 7/16" inox
	046438716CA.000	Raccordo pompa carbonatore 7/16"
16	0464CA08DIA.000	Raccordo pompa carbonatore Ø8 mm.
	0464CA06DIA.000	Raccordo pompa carbonatore Ø6 mm.
17	04641414RSB.000	Raccordo 1/4"M-1/4"M giunz. Rid. Sb
18	043608BIRAC.000	Raccordo diritto giunzione inox Ø8 mm.
	04601014CPA.000	Portagomma per pompa vino
19	1480NRPO716.000	Valvola non ritorno 7/16"
	1480NRPOM14.000	Valvola non ritorno per pompa carbonatore

22



23



24 - 25



27



29



31



32



34



FOBs

Post-mix valves



1810EL

All main post-mix valve types available:

- Electronic sanitary lever
- Push to pour
- Portion control



1815

Mounting Blocks for
Lancer, UF1, Flomatic
and post-mix valves



1



2



3



4



5




6



7

FOB		
NUM	PART NO.	DESCRIPTION
1	5215VFFMACC.000	Stainless steel FOB detector for Keg
2	5215VFOBX98.000	FOB detector shut-off valve with wall mounting
POST-MIX VALVES		
3	1825FLOLESO.000	Soda lever for Flomatic post-mix valve
4	1825FLMANUT.000	Complete kit for maintenance
5	0610ALIMENT.000	Electric wire for valve
6	2840RUBFLOM.000	Brush for Flomatic valve

Accessories for pressure reducers



num.	PART NO.	DESCRIPTION
1	8500RMCLRID.002	Connection pipe for pressure reducer
2	4840RIDUTTO.000	Wall mount panel in galvanized sheet iron for pressure reducer
3	4840RID8065.000	Metal plate to fix pressure reducer on wall
4	2875CO2MAOR.000	High pressure hose
5	1415ATTBON2.000	Nitrogen cylinder barb fitting with nuts
6	1420VALVOL1.000	1-way manifold with non-return valve
7	1420VALVOL2.000	2-ways manifold with non-return valve
8	1420VALVOL3.000	3-ways manifold with non-return valve
9	1420VALVOL4.000	4-ways manifold with non-return valve
10	8500RMCLRID.002	Connection pipe for pressure reducer
11	2075N2HPRES.000	Nitrogen high pressure hose, 1.2 meter
12	0404CO2HPRE.000	Pressure reducer adapter for CO2 high pressure hose
13	0404N2HPRES.000	Pressure reducer adapter for nitrogen high pressure hose
	1445RIDUTTZ.000	Wall mount Z-shaped plate in galvanized sheet iron for pressure reducer
	1455KITMRID.000	Spare parts kit for pressure reducers
	04880505TSB.000	Fixing screw (2 for each plate)
	144006BARBP.000	Manometer low pressure, 6 Bar
	144010BARBP.000	Manometer low pressure, 10 Bar
	144025CO2HP.000	CO2 high pressure manometer, 0-160 Bar
	144031N2HPR.000	Nitrogen high pressure manometer, 0-315 Bar



145512CO2NW.TPR

CO2 pressure regulator, 1 body, 2 manometers
Outlet: 1/4" Flare (6 bar + high pressure)



145523CO2NW.TPR

CO2 pressure regulator, 2 bodies, 3 manometers
Outlet: 1/4" Flare (10 bar + 6 bar + high pressure)



145534CO2NW.TPR


CO2 pressure regulator, 3 bodies, 4 manometers
Outlet: 1/4" Flare
(10 bar + 10 bar + 6 bar + high pressure)



1455010150P.DJG

CO2 secondary pressure regulator (3.5 bar) with 3/8" quick fittings and st. steel mounting bracket

Gaskets



NUM	CODICE	GUARNIZIONI
1	0454COPFUST.000	Guarnizione coperchio fusti 18 Lt.
2	0440TUBOHPR.000	Guarnizione morbida per tubo H. pressione e riduttore
3	0440ESTINTT.000	Guarnizione interna-esterna per testa piana/triangolare
	0440ESTASTB.000	Guarnizione per asta di pescaggio
4	0440ESTTESB.000	Guarnizione esterna per testa bicchiere
5	0454526TEST.000	OR per testa a bicchiere
6	0440INTTESB.000	Guarnizione interna per testa bicchiere
	0440TENPTFE.000	Guarnizione tenuta PTFE
	0454113FUST.000	OR 113 valvola per fusto 18 lt.
	04542037POS.000	Guarnizione OR 2037 per portagomma post-mix
	0440PVC2062.000	Guarnizione PVC trasparente
	044011RACCN.000	Guarnizione per raccordo post-rub. Ø 11mm. Nera
	044007RACCO.000	Guarnizione per raccordo post-rub. Ø 7mm. 5/8"
7	0440PVMORB.000	Guarnizione PVC morbida
	0440NYLONRI.000	Guarnizione nylon per riduttori
	0440COLLOCI.000	Guarnizione per collo di cigno
	0440201306P.000	Guarnizione PVC per codulo
8	0440TRONCOC.000	Guarnizione troncoconica 7/16
	4541123050000	OR 3050 per valvola Coca
	4541062000000	OR Guarnizione battuta canotto
9	04544036THP.000	OR 2.204-4036 tubo A.P.+ maniglia
	0454ESTERNO.000	OR esterna per testa piana
10	0480BOMRUBP.000	Rondella bombata rub. anteriore
	0480RLEVP20.000	Rondella plastica mm. 20 per rubinetto
	0480RUBIPOS.000	Rondella bombata rub. posteriore
	0484SERPGOM.000	Tappi in gomma per serpentina
11	045208TEFLO.000	Ogiva in Teflon Ø 8 mm.
	045206TEFLO.000	Ogiva in Teflon Ø 6 mm.
	045210TEFLO.000	Ogiva in Teflon Ø 10 mm.
12	1480TORPEDO.000	Torpedo valvola non ritorno prodotto
13	1480NRTSGAS.000	Valvola non ritorno per testa spillaggio gas

11




12



13




Barb connectors



NUM	CODICE	PORTAGOMMA
1	0460141414T.000	Portagomma a T 1/4" Shurflo
2	0460SHPL907.000	Portagomma in plastica pompa Shurflo 90° Ø7 mm.
3	0460SHPLPR8.000	Portagomma in plastica pompa Shurflo Ø 8 mm.
4	04600758DPA.000	Portagomma diritto piatto Ø7 mm. 5/8"
5	04600758DCA.000	Portagomma diritto c/codulo Ø7 mm. 5/8" nichelato
6	04600758CPA.000	Portagomma curvo piatto Ø7 mm. inox
7	046007CURCC.000	Portagomma curvo con codulo 5/8" - Ø7 mm.
8	0460MI12GAS.000	Portagomma ingresso gas per teste 1/2"
	0460587CUSC.000	Portagomma curvo 90° Ø7 mm. nichel 5/8"
	046011SEMIC.000	Portagomma semicurvo Ø11 mm. nichelato
	046008DRICC.000	Portagomma diritto c/codulo 5/8" Ø8 mm. mandrinato acciaio
	046008CURCC.000	Portagomma curvo c/codulo Ø 8 mm. mandrinato acciaio
	04600712DCA.000	Portagomma diritto c/codulo 1/2" Ø7 mm.

Nipples



NUM	CODICE	NIPLES
1	0448T040404.000	Niples a T 4-4-4 mm. acciaio Aisi 303
	0448T040407.000	Niples a T 4-4-7 mm. acciaio Aisi 303
	0448T070707.000	Niples a T 7-7-7 mm. acciaio Aisi 303
2	0448T101007.000	Niples a T 10-10-7 mm. acciaio Aisi 303
	0448T101010.000	Niples a T 10-10-10 mm. acciaio Aisi 303
3	0448CR7777A.000	Niples a croce Ø7 mm. Aisi 303
4	0464SCARH20.000	Raccordo Derlin scarico H2O vaschetta
5	0448DO0404A.000	Niples doppio 4 - 4 mm. Aisi 303
6	0448DO0704A.000	Niples doppio 7 - 4 mm. Aisi 303
	0448DO0707A.000	Niples doppio 7 - 7 mm. Aisi 303
	0448DO1007A.000	Niples doppio 7 - 10 mm. Aisi 303
	0448DO1010A.000	Niples doppio 10 - 10 mm. Aisi 303
	0448071644A.000	Niples 7/16" Ø4.4 mm. Aisi 303
	0448COC1204.000	Niples 1/2" Ø4 mm per Coca Cola Aisi 303
7	0448COC1207.000	Niples 1/2" Ø7 mm per Coca Cola Aisi 303

Spare parts



CARBONATORS		
NUM	PART NO.	DESCRIPTION
1	14600000007.000	Carbonator 0.7 liters
	14600270000.000	Carbonator 2.7 liters
2	1460027RSOD.000	Carbonator 2,7 liters for soda recirculation
3	0463450TUBO.000	Connection tubing 450 mm to fix secondary regulators on wall panel
4	1480FUSTOBI.000	Coca-Cola product valve for keg
5	1480FUSTOGA.000	Coca-Cola gas valve for keg
6	1480JOLLYBI.000	Jolly/QCD product valve for 18 liter keg
7	1480JOLLYGA.000	Jolly/QCD gas valve for 18 liter keg
8	1480NRINNCC.000	Non-return valve for Coca-Cola head
9	1480NRINNJO.000	Non-return valve for Jolly/QCD head
10	1480SFIAT18.000	Relief valve for 18 liter keg
11	1830VINOMAN.000	Mixer with handle for wine coolers
FAN MOTORS		
12	30401023456.000	Fan motor with cable 10W 220/230 V 50/60Hz (for coolers: HE 100 / 120 / 140)
13	3040523456X.000	Fan motor with cable 5W 220/230V 50/60Hz
ROTARY PUMPS		
14	3010140W225.000	Motor for soda recirculaiton 140 W
15	360520010RO.000	200 liters pump in brass f or water carbonation
16	3605400LTRA.000	400 liters pump in stainless steel for soda recirculation
17	3605400LTRO.000	400 liters pump in brass f or water carbonation
18	3605PMC2259.000	Diaphragm carbonator pump 9 ATM



TUBE BENDERS		
NUM	PART NO.	DESCRIPTION
1	850508ACCIA.000	Stainless steel tube bender 08
2	850508MOLLA.000	Tube bender spring 08
3	850510ACCIA.000	Stainless steel tube bender 010
DRILL BITS		
4	8530MARMO30.000	Drill bit for marble Ø30
5	8530MARMO35.000	Drill bit for marble Ø35
6	8530MARMO40.000	Drill bit for marble Ø40
	8530TAZZA22.000	Drill bit Ø22 no spindle
	8530TAZZA23.000	Drill bit Ø23 no spindle
7	8530TAZZA36.000	Drill bit Ø37 no spindle
	8530TAZZA40.000	Drill bit Ø40 no spindle
8	8530TAZZA60.000	Drill bit Ø60 no spindle
HOSE CUTTER		
9	8535GRANDEA.000	Large hose cutter
10	8535PICCOLA.000	Small hose cutter
	8540ALCOLIC.000	Termometer with plastic bag
	8500CERCFUG.000	Gas leak detector
11	8500REGOLPR.000	Ruler to check pressure

Spare parts

WALL ADAPTERS		
NUM.	PART NO.	DESCRIPTION
1	0404AMUROBI.000	Wall adapter for "Birac" 5/8" - 1/4"
2	0404RUCRUZC.000	Adapter with chrome finish for tap 5/8M-1/2F
	042008PITAC.000	Stainless steel U Bend for python 8 mm
	042010PITAC.000	Stainless steel U Bend for python 10 mm
DADI		
	04221060850.000	DADO 1"FLANGIATI 60X8,5 OTTONE
3	0422121616C.000	Nickel plated nut 1/2" for Coca Cola
4	0422122412P.000	Nickel plated nut 1/2" f or barb connector
5	042212MICRO.000	Micromatic nut 1/2" for dispensing head
6	042214080TC.000	Nickel-plated nut 1/4" Ø 8 mm in brass
7	0422582512P.000	Nickel plated nut 5/8" f or barb connector
8	042258MICTS.000	Micromatic nut 5/8" for dispensing head
9	0422716CROM.000	Nickel plated nut 7/16" for Pepsi-Cola with reducing
10	0422CIECOAC.000	Cap nut 7/16"
PINCERS		
11	0426PINZAFA.000	Clamp pincer
12	0426PINZAGR.000	Big pliers for rubber hose
13	0426PINZAPI.000	Small pliers for rubber hose
KEY FOR TAPS		
14	0450RUB2528.000	Wrench 25/28 for tap and pressure reducer
15	0450RUBWOLF.000	Wrench for Wolf tap
TRANSFORMERS		
16	12252252450.000	Transformer for electric valves 24 v 50VA 220V, Schuko plug, fixing system by screws
17	12402125WCC.001	Transformer 220V - 12V 5W with European plug for LED illumination
	1230TR100VA.002	Trasformer 220V - 24V AC 100VA with Schuko plug
	1230TR150VA.001	Trasformer 220V - 24V AC 150VA with Schuko plug



1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16



17

COUNTER WITH TOP IN STAINLESS STEEL AISI 304, PLUGGING ON THREE SIDES IN PUNCHED PLATE, LOWER LEVEL IN GALVANIZED SHEET IRON, 2 FIXED WHEELS AND 2 REVOLVING WHEELS Ø 125 mm



PART NO.	DESCRIPTION
8015FS148IR.000	Bench 1400X800x900h mm.
8015FS168IR.000	Bench 1600x800x900h mm.
8015FS198IR.000	Bench 1950x800x900h mm.
8015FS16895.000	Bench 1600x800x950 mm

Wooden Counter

- **Base in stainless steel.**
- **Bench in stave wood.**
- **Stainless steel coated top in wooden.**
- **With wheels.**
- **It can be used for all type of undercounter refrigeration.**
- **The counter was realized to contain:**
CO2 cylinder, - kegs 20, 30, 50 liters
undercounter refrigerator
- **Sturdy casing to be used also on the open air.**
Ideal for beer parties, rallies and festivals requiring large
venues. It can be completely dismantled.



8015KEGINRE.000
Bench to contain 1 or 2 kegs +CO2 cylinder.
Dimensions cm 105 x 70x 108 height

8015KEG2NRE.000
Bench to contain 2 or 3 kegs +CO2 cylinder.
Dimensions cm 140 x 70x 108 height